

Annual Drinking Water Quality Report for 2017

Kittery Water District

17 State Rd., Kittery, ME 03904

June 29, 2018

MISSION STATEMENT

Kittery Water District recognizes that water and watersheds must be preserved, conserved and protected; that an adequate supply of clean water is a basic human right; that water is a public trust, to be guarded by all levels of government acting as an equal partner with the public; and that the best advocates for water are local communities and citizens. The District strives to maintain stable water rates for domestic and municipal purposes.

The 20th annual water quality report to all customers is in accordance with the 1996 Safe Drinking Water Act (SDWA) and provides general information regarding District activities. During 2017, drinking water produced by the Kittery Water District (KWD), met or exceeded all federal and state health safety requirements.

DISTRICT ACTIVITIES IN 2017

- Produced 893 million gallons of water for the homes and businesses of Kittery, Kittery Point, parts of Eliot, the Portsmouth Naval Shipyard and a portion of York.
- River Road, Eliot – installed 940 feet of H.D.P.E. water main.
- Main Street, Eliot – replaced 2,412 feet of undersized cast iron water main.
- Pleasant Street, Eliot – relocated 50 feet of ductile iron water main.
- School Street, Kittery – installed 385 feet of H.D.P.E. water main.
- 518 Route One, Kittery – installed 554 feet of ductile iron water main.
- Patten Place, Kittery – replaced 376 feet of undersized water main.

2018 CONSTRUCTION SCHEDULE

This coming construction season, our construction crew will be performing water main upgrades to increase fire flows and replace aging infrastructure in the following locations:



Beech Ridge Road, York



Old Beech Ridge Road, York



Construction of a pumping station on Old Beech Ridge Road, York



Mendum Avenue, Kittery

CHLORAMINES ARE COMING

In 2018 – 2019 the Kittery Water District is planning to renovate its 60-year-old water filtration plant. During the 2019 construction period, we will be purchasing all of our treated water from the York Water District and the Kennebunk, Kennebunkport and Wells Water District.

In the spring of 2019, the Kittery Water District intends to add a secondary form of disinfectant to its water treatment process. Our primary disinfectant has always been chlorine, commonly referred to as free chlorine in the distribution system. We are planning to change to a chloramines form of disinfection system. To accomplish this, we will be adding ammonia to the already chlorinated water, which will form chloramines, specifically mono chlorine.

There are a couple of reasons for the District making this change. The primary reason is to make our water compatible with our neighboring, interconnected systems. Currently, the communities from York to Portland are all using chloramines. Changing over to chloramines will reduce the formation of disinfection byproducts. In addition, the use of chloramines is known to remove the unpleasant taste of chlorine from the water.

CREDIT / DEBIT CARDS NOW WIDELY ACCEPTED

For the convenience of our customers, KWD offers a credit / debit card payment system. This service, known as Maine PayPort, is provided by the Information Resource of Maine (InforME) and is offered by a third party working in partnership with the State of Maine. It enables the District to accept credit / debit card payments over the telephone, in person at our business office as well as on our website. A

2 ½% transaction fee by Maine PayPort applies to all credit / debit card payments with a minimum charge of \$1.00 for payments \$40.00 and under.

2017 Water Test Results

Contaminant:	Results:	Violation:	MCLG:	MCL:	Likely Source:
TOTAL COLIFORM BACTERIA (2017)	0 positive	No	0	1 positive per month or 5%	Naturally present in the environment.
TURBIDITY (2/17)	0.12 NTU	No	NA	0.3 NTU 95% 1 NTU 100%	Soil erosion; suspended materials.
BARIUM (12/17)	< 0.010 ppm	No	2 ppm	2 ppm	Erosion of natural deposits.
CUTTS ROAD TOTAL HALOACETIC ACIDS	23 ppb (LRAA) (Range: 20 – 27 ppb)	No	0	60 ppb	By-product of drinking water chlorination.
CUTTS ROAD TOTAL TRIHALOMETHANES	19 ppb (LRAA) (Range: 11.8 – 32.6 ppb)	No	0	80 ppb	By-product of drinking water chlorination.
ELIOT TANK TOTAL HALOACETIC ACIDS	39 ppb (LRAA) (Range: 22 – 58 ppb)	No	0	60 ppb	By-product of drinking water chlorination.
ELIOT TANK TOTAL TRIHALOMETHANES	61 ppb (LRAA) (Range: 44.1 – 84 ppb)	No	0	80 ppb	By-product of drinking water chlorination.
MARTIN ROAD TOTAL HALOACETIC ACIDS	41 ppb (LRAA) (Range: 32 – 52 ppb)	No	0	60 ppb	By-product of drinking water chlorination.
MARTIN ROAD TOTAL TRIHALOMETHANES	37 ppb (LRAA) (Range: 23.4 – 45.5 ppb)	No	0	80 ppb	By-product of drinking water chlorination.
ROUTE 1, YORK TOTAL HALOACETIC ACIDS	32 ppb (LRAA) (Range: 27 – 38 ppb)	No	0	60 ppb	By-product of drinking water chlorination.
ROUTE 1, YORK TOTAL TRIHALOMETHANES	28 ppb (LRAA) (Range: 17.8 – 45.3 ppb)	No	0	80 ppb	By-product of drinking water chlorination.
CHLORINE (2017)	1.8 ppm	No	4.0 ppm (MRDL)	4 ppm (MRDLG)	Water additive to control microbes.
NITRATE / NITROGEN (12/17)	< 1.0 ppm	No	10 ppm	10 ppm	Runoff from fertilizer use. Leaching from septic tanks, sewage. Erosion of natural deposits.
CHROMIUM	1 ppb	No	100 ppb	100 ppb	Discharge from steel and pulp mills. Erosion of natural deposits
RADIUM – 228 (4/16)	< 3 pCi/l	No	0 pCi/l	5 pCi/l	Erosion of natural deposits.
LEAD (12/17)	2 ppb	No *	0	15 ppb (AL)	Corrosion of household plumbing systems.

* The District received a violation letter from the Maine Drinking Water Program for not submitting the lead and copper certification page on time.

REGULATED PRIMARY DRINKING WATER STANDARDS

Our water was regularly tested for some or all of the primary standard contaminants listed below, as regulated by law.

Microbiological Contaminants	12. Cadmium	25. Acrylamide	41. Ethylene dibromide	Volatile Organic Contaminants	66a. Haloacetic acids
1. Total Coliform Bacteria	13. Chromium	26. Alachlor	42. Glyphosate	66b. Methyl-Tertiary-Butyl-Ether (MTBE) (Maine MCL)	
2. Fecal coliform and <i>E.coli</i>	14. Copper	27. Atrazine	43. Heptachlor	55. Benzene	67. Styrene
3. Turbidity	15. Cyanide	28. Benzo(a)pyrene (PAH)	44. Heptachlor epoxide	56. Carbon tetrachloride	68. Tetrachloroethylene
Radioactive Contaminants	16. Fluoride	29. Carbofuran	45. Hexachlorobenzene	57. Chlorobenzene	69. 1,2,4 -Trichlorobenzene
4. Beta/photon emitters	17. Lead	30. Chlordane	46. Hexachlorocyclo-pentadiene	58. o-Dichlorobenzene	70. 1,1,1 - Trichloroethane
5. Alpha emitters	18. Mercury (inorganic)	31. Dalapon	47. Lindane	59. p-Dichlorobenzene	71. 1,1,2 -Trichloroethane
6. Combined radium	19. Nitrate (as Nitrogen)	32. Di(2-ethylhexyl) adipate	48. Methoxychlor	60. 1,2 - Dichloroethane	72. Trichloroethylene
6a. Uranium	20. Nitrite (as Nitrogen)	33. Di(2-ethylhexyl) phthalate	49. Oxamyl [Vydate]	61. 1,1 - Dichloroethylene	73. TTHM [Total trihalomethanes]
Inorganic Contaminants	21. Selenium	34. Dibromochloropropane	50. PCBs [Polychlorinated biphenyls]	62. cis-1,2-Dichloroethylene	74. Toluene
7. Antimony	22. Thallium	35. Dinoseb	51. Pentachlorophenol	63. trans - 1,2 - Dichloroethylene	75. Vinyl Chloride
8. Arsenic	Synthetic Organic Contaminants including Pesticides and Herbicides	36. Diquat	52. Picloram	64. Dichloromethane	76. Xylenes
9. Asbestos		37. Dioxin [2,3,7,8-TCDD]	53. Simazine	65. 1,2-Dichloropropane	77. HAA5's [Haloacetic Acids]
10. Barium		38. Endothall	54. Toxaphene	66. Ethylbenzene	
11. Beryllium	23. 2,4-D	39. Endrin			
	24. 2,4,5-TP (Silvex)	40. Epichlorohydrin			

DEFINITIONS OF TESTING TERMINOLOGY

Primary standards - Quality standards designed to protect your health.

Secondary standards - Standards relating to the aesthetic qualities of water like taste, odor and color that do not present a health risk.

ppm (Parts per million) – unit of measure

ppb (Parts per billion) or Micrograms per liter –unit of measure

pCi/L (Picocuries per liter) - Picocuries per liter is a measure of the radioactivity in water.

NTU (Nephelometric Turbidity Unit) - Nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

AL (Action Level) - Concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

TT (Treatment Technique) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

MCL (Maximum Contaminant Level) - The “Maximum Allowed” is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal) - The “Goal” is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

SMCL (Secondary Maximum Containment Level) - The highest level of an aesthetic water quality parameter that is allowed in drinking water.

RAA (Running Annual Average) –The average of all monthly or quarterly samples for the last year at all sample locations.

LRAA (Locational Running Annual Average) –The average of monthly or quarterly samples for the last year from the same location.

2017 TEST RESULTS FOR SECONDARY STANDARDS

	Maximum Level Detected	SMCL
Manganese	0.014ppm	.050ppm
pH	7.2	6.0-8.5
Sodium	5ppm	20ppm
Sulfate	19ppb	250ppb
Total Chloride	10ppm	250ppm
Total Hardness	18ppm	500ppm
Zinc	0.010ppm	5ppm

Additional Notes:

- 1) Total Coliform Bacteria: Reported as the highest monthly number of positive samples, for water systems that take < 40 samples per month.
- 2) Gross Alpha: Action level over 5 pCi/L requires testing for Radium. Action level over 15 pCi/L requires testing for Radon and Uranium.
- 3) Lead/Copper: Action levels (AL) are measured at consumer's tap. 90% of the tests must be equal to or below the action level.
- 4) Total Trihalomethanes (TTHM)/Haloacetic Acids (HAA5): TTHM and HAA5 are formed as a by-product of drinking water chlorination. This chemical reaction occurs when chlorine combines with naturally occurring organic matter in water.
- 5) Turbidity: Turbidity is a measurement of cloudiness or suspended colloidal matter (silt). Excessive turbidity can cause problems with water disinfection. All samples taken from our system were below 0.549 ntu's for rapid sand filtration media. Therefore, our water filtration system renders your finished drinking water clear and safe to drink.

IMPORTANT INFORMATION

Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with household plumbing. KWD is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When water has been sitting in household piping for several hours, the potential for lead exposure can be minimized by flushing your tap for up to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

MCLs

Maximum Contaminant Levels are set at very stringent levels. A person would have to drink 2 liters of water every day at the MCL level over the course of a lifetime to have a one-in-ten thousand chance of acquiring any adverse health effect.

Source Information

The District obtains our water from four man-made ponds in the town of York, Maine: Boulter Pond, Middle Pond, Upper Folly Pond and Bell Marsh Reservoir. The watershed for these ponds has been tested for potentially harmful pathogens such as cryptosporidium, giardia, and E-Coli. None were detected. Our source water protection program prohibits all but passive recreation around the reservoirs. Frequent watershed protection patrols assure compliance with our watershed protection policies.

As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals, radioactive material, and also substances resulting from human or animal activity. The Maine Drinking Water Program assessed public water supplies statewide in 2003 as part of the Source Water Assessment Program. The assessment considered geology and hydrology, land uses, water testing information, and the extent of land ownership or local ordinance protection to determine how likely the drinking water source is to be contaminated in the future. This evaluation reflected positively on the District's watershed. The assessment is available to the public upon request. For more information, contact the Drinking Water Program at 207-287-2070.

The District's water treatment and filtering facility is located at Boulter Pond in York. The filtration process includes the addition of alum and hydrated lime to coagulate organic materials in the raw water. Sodium permanganate is added to oxidize iron and

manganese. As water passes through a sedimentation process, organic materials settle out. Water is filtered as it passes through a bed of washed, filtering sand. After filtering, the water is treated with sodium hypochlorite for disinfection. Hydrated lime is added to adjust water pH. Prior to leaving the plant, a corrosion control chemical, trade name Aquacros, is added to reduce distribution system pipe corrosion.

Health Information

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Radioactive Contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and can also come from gas stations, urban runoff, and septic systems.

Our watershed monitoring program has tested for the above contaminants. None were detected. Should any contaminants be introduced, our water treatment process assures that the maximum contaminant level will be below State standards for safe drinking water.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Waivers

In 2017, our system was granted a “synthetic organic waiver.” This is a three-year exemption from the monitoring / reporting requirements for the following industrial chemical(s): TOXAPHENE / CHLORDANE / PCB, HERBICIDES, CARBAMATE PESTICIDES, SEMIVOLATILE ORGANICS. This waiver was granted due to the absence of these potential sources of contamination within a half mile radius of the water source(s). For any water tests that are not waived, we are required to report contaminants that were detected in our water supply in this CCR.

Public Participation

The Kittery Water District was established in 1907 by the Maine Legislature and is not a part of town government. The Board of Trustees meets with the Superintendent each week on Thursdays at 7:00 a.m. at the office of the Kittery Water District. This meeting is open to public participation.

Important Telephone Numbers and Addresses

Kittery Water District Office	439-1128, 439-8549 (fax)
Kittery Water District Website	www.kitterywater.org
Email address	kitterywater@comcast.net
Kittery Water District Treatment Facility	363-4252
Kittery Police Dispatch (after hour emergencies)	439-1638
Michael S. Rogers, Superintendent	439-1128
Superintendent’s email address	mikerkwd@comcast.net
Roger C. Raymond, Jr., Trustee, President	439-1128
Robert P. Wyman, Trustee, Treasurer	439-1128
James E. Golter, Trustee, Secretary	439-1128
ME PUC’s Consumer Assistance Division	1-800-452-4699
ME DHS, Drinking Water Program	1-207-287-2070
EPA’s Safe Drinking Water Hotline	1-800-426-4791

The Kittery Water District’s Public Water System Identification Number (PWSID) is ME0090790.

Kittery Water District
17 State Road
Kittery, ME 03904-1565

<p>BULK RATE U.S. POSTAGE PAID KITTERY, ME PERMIT NO. 34</p>
